

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Treatex Exterior Oil sheer
- · Article number: 3164
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- · Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- Article category AC11 Wood articles
- · Technical function Biocide
- · Application of the substance / the mixture Biocide
- · Uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier/Distributor/Downstream user/Importer:

Treatex Ltd.

Howland Road Business Park

Howland Road, Thame.

Oxfordshire, QX9 3GQ

**Great Britain** 

Phone: +44 1844 260416 Fax: +44 1844 358160 E-Mail: info@treatex.co.uk

www.treatex.co.uk

· Further information obtainable from:

sales department phone: +44 1844 260416 E-Mail (expert person) info@treatex.co.uk

· 1.4 Emergency telephone number:

poison control centre munich (24h)

Tel.: +49 (0) 30 30686700

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH208 Contains 3-lodo-2-propynylbutylcarbamate. May produce an allergic reaction.

Contains biocidal products: 3-lodo-2-propynylbutylcarbamate

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Solvent-borne film protection product

Decomption Convent Service mini protection product			
· Dangerous components:			
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatic compounds  Asp. Tox. 1, H304, EUH066	> 25 – ≤ 50%	
CAS: 64742-48-9 EINECS: 265-150-3 Reg.nr.: 01-2119457273-39- xxxx	Naphtha (petroleum), hydrotreated heavy	> 10 – ≤ 25%	
CAS: 55406-53-6 EINECS: 259-627-5 Reg.nr.: 01-2120762115-60	3-lodo-2-propynylbutylcarbamate  Acute Tox. 3, H331; ♦ STOT RE 1, H372; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ↑ Acute Tox. 4, H302; Skin Sens. 1, H317	≥ 0.25 – < 1%	
CAS: 2457-02-5 EINECS: 219-536-3	Strontium bis (2-ethylhexanoate)  Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	> 0.1 – < 1%	

Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

In case of symptoms or in case of doubt seek medical advice.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

- GE

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Fumes can combine with air to form an explosive mixture.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 10
- · 7.3 Specific end use(s) Observe the technical data sheet

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Version number 1.09 (replaces version 1.08) Revision: 01.02.2022 Printing date 01.02.2022

Trade name: Treatex Exterior Oil sheer

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Nitrile rubber

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

After use of gloves apply skin-cleaning agents and skin cosmetics.

**Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

· Colour: According to product specification

· Odour: Weak, characteristic · Odour threshold: Not determined.

· Melting point/freezing point:

Boiling point or initial boiling point and

boiling range

160 °C (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatic compounds)

Undetermined.

Not applicable. · Flammability

Lower and upper explosion limit

0.6 Vol % (Hydrocarbons, C10-C13, n-alkanes, · Lower:

isoalkanes, cyclics, <2% aromatic compounds) · Upper: 7 Vol % (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatic compounds)

· Flash point: > 61 °C

· Auto-ignition temperature: Product is not selfigniting.

 Decomposition temperature: Not determined. · pH Not determined.

· Viscosity:

· Kinematic viscosity at 20 °C 18 s (DIN 53211/4) · Dynamic: Not determined.

Solubility

Not miscible or difficult to mix. · water:

· Partition coefficient n-octanol/water (log

Not determined. value)

(Contd. on page 5)

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

	(Contd. of page
Vapour pressure at 20 °C:	1 hPa (64742-48-9 Naphtha (petroleum hydrotreated heavy)
Density and/or relative density	•
Density at 20 °C:	0.87 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	·
Organic solvents:	61.7 %
VOC (EC)	536.8 g/l
VOCV (CH)	61.67 %
Solids content:	37.1 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	ui u
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	VOIU
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising inquids Oxidising solids	Void
Organic peroxides	Void
Organic peroxides	volu
Corrosive to metals	Void

# **SECTION 10: Stability and reactivity**

**Desensitised explosives** 

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable when using the recommended regulations for storage and handling.

Void

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions
- Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
- 10.4 Conditions to avoid Do not heat up in an uncontrolled manner.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

(Contd. of page 5)

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 v	· LD/LC50 values relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimates)			
Inhalative	Inhalative LC50/4 h > 1,949 mg/l			
64742-48-	9 Naphtha	a (petroleum), hydrotreated heavy		
Oral	LD50	> 5,000 mg/kg (rat)		
Dermal	LD50	> 3,000 mg/kg (rab)		
55406-53-	55406-53-6 3-lodo-2-propynylbutylcarbamate			
Oral	LD50	1,470 mg/kg (rat)		
Dermal	LD50	> 2,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	76.3 mg/l (rat)		

- · Respiratory or skin sensitisation May cause sensitization on skin contact.
- · 11.2 Information on other hazards

· Endocrine disrupting properties			
540-97-6	Dodecamethylcylohexasiloxane	List II	
541-02-6	Decamethylcyclopentasiloxane	List II	

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

(Contd. of page 6)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.		
· UN "Model Regulation":	not regulated	

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Regulation (EU) No 528/2012 on biocides

Biocidal active ingredient

55406-53-6 3-lodo-2-propynylbutylcarbamate

- · Use Film protection
- · Directive 2004/42 / EC on emission limitation of VOCs from paints and varnishes

VOC product category: (Kat. A/f); VOC limit: 700 g / I

Maximum VOC content of ready to use product (g / I): 600

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

(Contd. on page 8)

(Contd. of page 7)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022 Version number 1.09 (replaces version 1.08) Revision: 01.02.2022

Trade name: Treatex Exterior Oil sheer

Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic

compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Repr. 2: Reproductive toxicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3